

HOSPITAL DRYER

g1000



Capacity (litre)	1000L
Exterior (high x wide x deep mm)	1800 x 1310 x 750
Interior (high x wide x deep mm)	1300 x 1165 x 590
Shelf size (wide x deep mm)	1170 x 572
Shelves	5
Shelf positions	10 per chamber
Shelf spacing (mm) (variations upon request)	80
Fan Circulation specially designed for optimal drying	1 fan system
Heating (stainless sheathed element)	1 x 2.2 kW
Micro-Digital control (with digital readout and LCD)	1
Safety (safety overheat cut-out thermostat)	Included
User calibration facility	Included
Tamper proof control	Included
Temperature range	Ambient + 5 °C to 80 °C
Temperature accuracy	± 0.1 °C at sensor. Chamber typically ±1.0 °C
Electrical	220-240 V, 50-60 Hz single phase (alternative power range available)



Options Description

- tc Countdown to stop timer (not required if any p option selected)
- rs Allows RS communication to & from chamber control system (requires software & option)
- c Four Swivel Castors - Two lockable
- hf Hepa Filter (for a bacteria free drying system)
- td1 Tube dryer (1) one chamber with tubes: **Optional (162 tubes)**
- ps Pass through system with double door (rear&front door)
- s Extra shelf

